

CORRES. CONTROL
INCOMING LTR NO.

01697 RF 97

DUE DATE
ACTION



Department of Energy

ROCKY FLATS FIELD OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

13 NOV 97 3:44

File - 891
cc: letter to
Civillo

NOV 13 1997

97-DOE-05438

DIST.	LTR	ENC
BACON, R.F.		
BENSUSSEN, S.J.		
BORMOLINI, A.M.		
BRILSFORD, M.D.		
BURDGE, L.		
CARD, R.G.		
COSGROVE, M.M.		
COULTER, W.L.		
CRAWFORD, A.C.		
DERBY, S.		
DIETERLE, S.E.		
FERRERA, D.W.		
FERRERA, K.P.		
GERMAIN, A.L.		
HARDING, W.A.		
HARROUN, W.P.		
HEDAHL, T.G.		
HERRING, C.L.		
HILL, J.A.		
MARTINEZ, L.A.		
NORTH, K.	X	
PARKER, A.		
PHILLIPS, F.J.	X	
RHOADES, D.W.		
RUSCITTO, D.G.		
SANDLIN, N.B.		
SPEARS, M.S.		
TILLER, R.E.		
VOORHEIS, G.M.		
John, J.	X	
Lew, J.	X	

Mr. Tim Rehder
U.S. Environmental Protection Agency, Region VIII
999 18th Street, Suite 500
Denver, Colorado 80202-2466

Ms. Susan Chaki
Colorado Department of Public Health and the Environment
Hazardous Materials and Waste Management Division
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530

Dear Mr. Rehder and Ms. Chaki:

We are pleased to deliver the enclosed copy of the Quarterly Status Report for the Consolidated Water Treatment Facility, Building 891, to your agencies for your information. The task includes operation, maintenance and reporting activities for the Consolidated Water Treatment Plant and Operable Unit 7 Passive Seep Interception and Treatment System.

If you should have any technical questions related to this transmittal, please contact Norma I. Castaneda at 966-4226 or contact me at 966-4839.

Sincerely,

John C. Morris
for Steven W. Slaten
RFCA Coordinator

COR. CONTROL	X	X
ADMN. RECORD	X	X
PATS/T130G		

Reviewed for Addressee
Corres. Control RFP

11/13/97
Date

By

Enclosure

Ref Ltr. #

DOE ORDER # 5400.1

A-DU07-000477

ADMIN RECORD

